



## TOR1A gene

torsin family 1 member A

### Normal Function

The *TOR1A* gene (also known as *DYT1*) provides instructions for making a protein called torsinA. This protein is found in the space between two neighboring structures within cells, the nuclear envelope and the endoplasmic reticulum. The nuclear envelope surrounds the nucleus and separates it from the rest of the cell. The endoplasmic reticulum processes proteins and other molecules and helps transport them to specific destinations either inside or outside the cell. Although little is known about the function of torsinA, studies suggest that it may help process and transport other proteins. TorsinA may also participate in the movement of membranes associated with the nuclear envelope and endoplasmic reticulum.

TorsinA is active in many of the body's tissues, and it is particularly important for the normal function of nerve cells in the brain. For example, researchers have found high levels of torsinA in a part of the brain called the substantia nigra. This region contains nerve cells that produce dopamine, a chemical messenger that transmits signals within the brain to produce smooth physical movements.

### Health Conditions Related to Genetic Changes

#### benign essential blepharospasm

Several studies have examined a possible relationship between common variations (polymorphisms) in the *TOR1A* gene and several forms of adult-onset dystonia, including benign essential blepharospasm. The results of these studies have been mixed. Some research has suggested that certain polymorphisms increase a person's risk of developing benign essential blepharospasm. However, other studies have found no connection between changes in the *TOR1A* gene and risk of this disorder. Researchers are still working to clarify whether variants of the *TOR1A* gene are related to benign essential blepharospasm and other adult-onset dystonias.

#### early-onset primary dystonia


A particular mutation in the *TOR1A* gene causes most cases of early-onset primary dystonia. This mutation, which is often called the GAG deletion or delta GAG, deletes three DNA building blocks (base pairs) from the *TOR1A* gene. The resulting torsinA protein is missing one protein building block (amino acid) in a critical region. The altered protein's effect on the function of nerve cells in the brain is unclear. People with early-onset primary dystonia do not have a loss of nerve cells or obvious

changes in the structure of the brain that would explain the abnormal muscle contractions seen with this condition. Instead, the altered torsinA protein may have subtle effects on the connections between nerve cells and likely disrupts chemical signaling between nerve cells that control movement. Researchers are working to determine how a change in this protein leads to the characteristic features of this disorder.

### Chromosomal Location

Cytogenetic Location: 9q34.11, which is the long (q) arm of chromosome 9 at position 34.11

Molecular Location: base pairs 129,812,942 to 129,824,245 on chromosome 9 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

### Other Names for This Gene

- DQ2
- Dystonia 1 protein
- dystonia 1, torsion (autosomal dominant; torsinA)
- DYT1
- TOR1A\_HUMAN
- Torsin-1A
- torsin family 1, member A (torsin A)
- torsinA

### Additional Information & Resources

#### GeneReviews

- DYT1 Early-Onset Isolated Dystonia  
<https://www.ncbi.nlm.nih.gov/books/NBK1492>

## Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28TOR1A%5BTIAB%5D%29+OR+%28%28DYT1%5BTIAB%5D%29+OR+%28torsin+A%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

## OMIM

- TORSIN 1A  
<http://omim.org/entry/605204>

## Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology  
[http://atlasgeneticsoncology.org/Genes/GC\\_TOR1A.html](http://atlasgeneticsoncology.org/Genes/GC_TOR1A.html)
- ClinVar  
<https://www.ncbi.nlm.nih.gov/clinvar?term=TOR1A%5Bgene%5D>
- HGNC Gene Symbol Report  
[http://www.genenames.org/cgi-bin/gene\\_symbol\\_report?q=data/hgnc\\_data.php&hgnc\\_id=3098](http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=3098)
- NCBI Gene  
<https://www.ncbi.nlm.nih.gov/gene/1861>
- UniProt  
<http://www.uniprot.org/uniprot/O14656>

## **Sources for This Summary**

- Bragg DC, Slater DJ, Breakefield XO. TorsinA and early-onset torsion dystonia. *Adv Neurol.* 2004; 94:87-93. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14509659>
- Breakefield XO, Blood AJ, Li Y, Hallett M, Hanson PI, Standaert DG. The pathophysiological basis of dystonias. *Nat Rev Neurosci.* 2008 Mar;9(3):222-34. doi: 10.1038/nrn2337. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18285800>
- Brüggemann N, Kock N, Lohmann K, König IR, Rakovic A, Hagenah J, Schmidt A, Ziegler A, Jabusch HC, Siebner H, Altenmüller E, Müncchau A, Klein C. The D216H variant in the DYT1 gene: a susceptibility factor for dystonia in familial cases? *Neurology.* 2009 Apr 21;72(16):1441-3. doi: 10.1212/WNL.0b013e3181a1861e.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/19380705>
- Clarimon J, Brancati F, Peckham E, Valente EM, Dallapiccola B, Abruzzese G, Girlanda P, Defazio G, Berardelli A, Hallett M, Singleton AB. Assessing the role of DRD5 and DYT1 in two different case-control series with primary blepharospasm. *Mov Disord.* 2007 Jan 15;22(2):162-6.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17133500>

- Defazio G, Matarin M, Peckham EL, Martino D, Valente EM, Singleton A, Crawley A, Aniello MS, Brancati F, Abbruzzese G, Girlanda P, Livrea P, Hallett M, Berardelli A. The TOR1A polymorphism rs1182 and the risk of spread in primary blepharospasm. *Mov Disord*. 2009 Mar 15;24(4):613-6. doi: 10.1002/mds.22471.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/19202559>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4167593/>
- Hewett JW, Tannous B, Niland BP, Nery FC, Zeng J, Li Y, Breakefield XO. Mutant torsinA interferes with protein processing through the secretory pathway in DYT1 dystonia cells. *Proc Natl Acad Sci U S A*. 2007 Apr 24;104(17):7271-6. Epub 2007 Apr 11.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17428918>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1855419/>
- Kabakci K, Hedrich K, Leung JC, Mitterer M, Vieregge P, Lencer R, Hagenah J, Garrels J, Witt K, Klostermann F, Svetel M, Friedman J, Kostic V, Bressman SB, Breakefield XO, Ozelius LJ, Pramstaller PP, Klein C. Mutations in DYT1: extension of the phenotypic and mutational spectrum. *Neurology*. 2004 Feb 10;62(3):395-400.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14872019>
- Ozelius LJ, Hewett JW, Page CE, Bressman SB, Kramer PL, Shalish C, de Leon D, Brin MF, Raymond D, Corey DP, Fahn S, Risch NJ, Buckler AJ, Gusella JF, Breakefield XO. The early-onset torsion dystonia gene (DYT1) encodes an ATP-binding protein. *Nat Genet*. 1997 Sep;17(1):40-8.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/9288096>
- Rostasy K, Augood SJ, Hewett JW, Leung JC, Sasaki H, Ozelius LJ, Ramesh V, Standaert DG, Breakefield XO, Hedreen JC. TorsinA protein and neuropathology in early onset generalized dystonia with GAG deletion. *Neurobiol Dis*. 2003 Feb;12(1):11-24.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12609485>
- Sibbing D, Asmus F, König IR, Tezenas du Montcel S, Vidailhet M, Sangla S, Oertel WH, Brice A, Ziegler A, Gasser T, Bandmann O. Candidate gene studies in focal dystonia. *Neurology*. 2003 Oct 28;61(8):1097-101.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14581671>
- Walker RH, Shashidharan P. Developments in the molecular biology of DYT1 dystonia. *Mov Disord*. 2003 Oct;18(10):1102-7. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14534912>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/gene/TOR1A>

Reviewed: May 2010

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services